11455 Pearl St Northglenn, CO 80233 (303) 296-026

MURRAY-BROWN LABORATORIES, INC.
Beyond the Raw Data

Certificate of Analysis for

bigtrea BV
Karveelweg 30
Maastricht, 6222NH

Received: 9/6/2024 @ 23.6 °C
Report ID: 2409242

Sample ID: 2409242-003 Borneo White MD Wild - 76S28904WMDW-1B

ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 09/09/24

Aerobic Plate Count	1,000	CFU/g

CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 09/09/24

Total Coliform Bacteria	< 100	CFU/g

EB.1a: EB by mass via AOAC 2003.01 (Petrifilm™) Analyzed 09/09/24

Enterobacteriaceae	< 100	CFU/g

ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 09/09/24

Escherichia coli	< 100	CFU/g

ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 09/11/24

Arsenic (As)	0.143	mg/kg (ppm)	Cadmium (Cd)	0.0192	mg/kg (ppm)
Lead (Pb)	0.678	mg/kg (ppm)	Mercury (Hg)	0.0249	mg/kg (ppm)

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 09/12/24

7-Hydroxymitragynine	< 0.0100	%	Isorhynchophylline	< 0.100	%
Mitragynine	1.42	%	Mitraphylline	< 0.100	%
Paynantheine	0.295	%	Speciociliatine	0.435	%
Speciogynine	0.205	%	Total Alkaloids	2.35	%

Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 09/09/24

Salmonella spp.	Negative	/25 g

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 09/09/24

Staphylococcus aureus	< 100	CFU/g

STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 09/09/24

Shiga toxin-producing E. coli	Negative	/25 g

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 09/09/24

Yeast and Mold	< 100	CFU/g

Reported By:  Jake S Hedges, Chemistry Laboratory Technician, 9/16/2024

This document is confidential and is meant solely for the individual or entity designated above. MBL Terms and Conditions apply.
This Certificate of Analysis should only be reproduced in full. Results contained herein are representative of and only apply to the sample portion submitted to or collected by MBL.